WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Wednesday, September 29, 2004

Hide?	Set Name	Query	Hit Count
		DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L23	L21 and (temperature with gradient)	45
☐	L22	L21 and (temperature with (shim$5 or shield$4 or ((auxiliary or additional or cancel$7) with coil)))	38
☐	L21	L20 and ((compensat$7 or correct$5) with signal)	689
☐	L20	L19 and (shim$5 or shield$4 or ((auxiliary or additional or cancel$7) with coil))	4826
☐	L19	L18 and (temperature)	26537
☐	L18	L17 and (compensat$7 or correct$5)	36725
☐	L17	((magnetic adj resonance) or MRI or NMR)	180422
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L16	L8 not L9	2
☐	L15	L14 and (atmospher$4 or pressure or external$2 and vibrat$4)	12
☐	L14	L13 and (table or LUT or look-up or "look up" or lookup)	18
☐	L13	L12 and (resistance or resistence or resistive$2 or impedance or impedence or resist$3)	63
☐	L12	L11 and (shim$4 or auxiliary or ((another or additional or separate or second$3) with coil))	109
☐	L11	L10 and (oscillat$4)	128
☐	L10	L8 and (power$4 or driv$3 or operat$3)	331
☐	L9	L8 and (power$4 or driv$3 or operat$4)	333
☐	L8	L7 and (dissipat$4 or lost or losing or lose or remov$4 or radiat$3 or decreas$4)	335
☐	L7	L5 and ((correct$4 or compensat$4 or adjust$4 or control$4) with (level or amount or signal or amplitude))	401
☐	L6	L5 and ((correct$4 or compensat$4 or adjust$5 or control$4) with (level or amount or signal or amplitude))	401
☐	L5	L4 and (temperature or heat$4 or thermal$3)	678
☐	L4	L3 and ((gradient with coil) with(current or (electric$4 with signal)))	2000
☐	L3	L2 and (current or (electric$4 with signal))	4007
☐	L2	L1 and ((magnetic adj resonance) or MRI or NMR)	6096
☐	L1	(gradient with coil)	9846

END OF SEARCH HISTORY